

FACILITY COMPLIANCE INSPECTION REPORT

Division of Waste Management Solid Waste Section

UNIT	UNIT TYPE:													
Lined MSWLF	LCID	YW	Transfer	Compost	SLAS		COUNTY: Guilford							
Closed MSWLF	HHW	White goods	Incin	T&P	FIRM		PERMIT NO.: SWCD41-02							
CDLF	Tire T&P / Collection	Tire Monofill	Industrial Landfill	DEMO	X SDTF		FILE TYPE: COMPLIANCE							

Date of Last Inspection: 05/12/11 **Date of Site Inspection:** 11/17/11

FACILITY NAME AND ADDRESS:

Guilford College 5800 West Friendly Avenue Greensboro, North Carolina 27410

GPS COORDINATES: N: <u>36.09692</u> **E**: <u>79.88847</u>

FACILITY CONTACT NAME AND PHONE NUMBER:

Jim Dees, Environmental Sustainability Coordinator 336-316-2923

Cell Phone: 336-669-1066

e-mail: deesjh@guilford.edu

FACILITY CONTACT ADDRESS:

Same

PARTICIPANTS:

Jim Dees, Environmental Sustainability Coordinator Hugh Jernigan, Solid Waste Section

STATUS OF PERMIT:

Compost Demonstration Project

PURPOSE OF SITE VISIT:

Site Inspection

STATUS OF PAST NOTED VIOLATIONS:

NONE

OBSERVED VIOLATIONS

NONE

The item(s) listed above were observed by Section staff and require action on behalf of the facility in order to come into or maintain compliance with the Statutes, Rules, and/or other regulatory requirements applicable to this facility. Be advised that pursuant to N.C.G.S. 130A-22, an administrative penalty of up to \$15,000 per day may be assessed for each violation of the Solid Waste Laws, Regulations, Conditions of a Permit, or Order under Article 9 of Chapter 130A of the N.C. General Statutes. Further, the facility and/or all responsible parties may be subject to enforcement actions including penalties, injunction from operation of a solid waste management facility or a solid waste collection service and any such further relief as may be necessary to achieve compliance with the North Carolina Solid Waste Management Act and Rules.

FACILITY COMPLIANCE INSPECTION REPORT

Division of Waste Management Solid Waste Section

Page 2 of 2

ADDITONAL COMMENTS

- 1. The site is a compost demonstration project conducted by Guilford College.
- 2. The demonstration approval expires January 12, 2012.
- 3. Approved feed stocks are food waste, shredded cardboard, paper towels, yard waste, inorganic nitrogen (if needed for proper C:N ratios), and wood chips.
- 4. Composting is conducted by use of in-vessel composting systems. Two Earthtub composting vessels are utilized for the composting process.
- 5. Operation of the composting system is conducted by the college Environmental Sustainability program in conjunction with students of Guilford College.
- 6. The compost curing area is located at the community garden project. All composted material from the Earthtub vessels has been placed in the compost curing area, and no finished product has been utilized.
- 7. The compost curing area is marked with signage stating the material is unfinished compost and not for use.
- 8. **Note:** Final compost material is to be tested prior to utilization of the compost.
- 9. The Earthtubs have drains which could allow leachate effluent from the composting operation to a drainage area adjacent to the vessels. The drains are to be plugged, and if necessary the vessels are to be raised to allow a system of collection and proper disposal of any potential leachate.
- 10. Mr. Dees stated the current system is not properly sized for the amount of feed stock generated, and there have been operational problems with the system. Mr. Dees has contacted a composting equipment supply company concerning the utilization of another system.

Phone: 336-771-5093

11. A meeting is to be scheduled within 30 days to confer on the status of the demonstration project.

Please contact me if you have any questions or concerns regarding this inspection report.

Hugh Jernigan

Environmental Senior Specialist

Regional Representative

Sent on: 11/18/11	X	Email	Hand delivery	US Mail	Certified No. []

Copies: Jason Watkins, Western District Supervisor

Shawn McKee, Solid Waste Compliance Officer

Michael Scott, Solid Waste Section Chief